

IN THE CLAIMS:

Please amend the claims as follows:

Claim 1 (currently amended): Apparatus for training the human body, comprising: an arched sheet element (1) having a substantially rectangular outline, the arch or curve of the sheet element enclosing an angle of at least approximately 30°, the surface of a convex side (4) of the sheet element being provided with a damping layer comprised of an elastomeric material ~~or another suitable natural damping substance or a polymer, and a concave side (3)~~ or natural damping substance, or a polymer, and further including a concave side of the sheet element being slip-resistant.

Claim 2 (original): Apparatus as claimed in claim 1, characterized in that the arch or curve is at least nearly uniform, and the element has approximately the same thickness or wall thickness all over.

Claim 3 (previously presented): Apparatus as claimed in claim 1, characterized in that the arch or curve encloses an angle of approximately 30 - 180°.

Claim 4 (currently amended): Apparatus for training the human body, comprising: an arched sheet element (1) having a substantially rectangular outline, the arch or curve of the sheet element enclosing an angle of at least approximately 30°, the surface of a convex side (4) of the sheet element being provided with a damping layer comprised of an elastomeric material ~~or another suitable natural damping substance or a polymer, and a concave side (3)~~ or natural damping substance, or a polymer, and further including a

concave side of the sheet element being slip-resistant, characterized in that the length of the element (1) along the bent edge (2) is approximately 60 - 120 cm, and that the width is approximately 40 - 80 cm, and the thickness of the element is approximately 1.5 - 4 cm.

Claim 5 (previously presented): Apparatus as claimed in claim 1, characterized in that the element is at least nearly dimensionally stable, and is fabricated of wood, a polymeric material, or of a light metal, and the edges are rounded on all sides.

Claim 6 (currently amended): Apparatus for training the human body, comprising: an arched sheet element (1) having a substantially rectangular outline, the arch or curve of the sheet element enclosing an angle of at least approximately 30°, the surface of a convex side (4) of the sheet element being provided with a damping layer comprised of an elastomeric material ~~or another suitable natural damping substance or a polymer, and a concave side (3)~~ or natural damping substance, or a polymer, and further including a concave side of the sheet element being slip-resistant, characterized in that the element is slightly elastic and is fabricated of a correspondingly slightly elastic wood or a correspondingly slightly elastic polymer, and all edges on all sides are rounded.

Claim 7 (currently amended): Apparatus as claimed in claim 1, characterized in that the angle enclosed by the arch or curve is approximately 90°, the length of the bent edge (2) is approximately 80 cm, the width approximately 50 cm and the thickness of the element is approximately 2 cm.

Claim 8 (previously presented): Apparatus as claimed in claim 1, characterized in that the arch or curve is circular, oval or elliptical.

Claim 9 (canceled).

Claim 10 (currently amended): Apparatus as claimed in claim 1, characterized in that on the element grip handles (6), or holes (7) are provided.

Claim 11 (previously presented): Method for the production of an apparatus as claimed in claim 1, characterized in that a substantially rectangular plate of wood, a polymeric material or of a light metal, is bent into the appropriate form.

Claim 12 (currently amended): Apparatus as claimed in claim 1, wherein the sheet element includes terminal support edges (9) each with a non-slip edge protection (8).